UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/564,781	04/19/2007	Scott King	83815-2802	3632
7590 07/11/2008 Ade & Company Inc.			EXAMINER	
P.O. Box 28006		ARANA, LOUIS M		
1795 Henderson Highway Winnipeg, MB R2G 0P1			ART UNIT	PAPER NUMBER
CANADA			2831	
			MAIL DATE	DELIVERY MODE
			07/11/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	T A P C N -	A P (/-)					
	Application No.	Applicant(s)					
	10/564,781	KING, SCOTT					
Office Action Summary	Examiner	Art Unit					
	Louis M. Arana	2831					
The MAILING DATE of this communication ap	pears on the cover sheet with the c	correspondence address					
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 17 J.	anuary 2006						
	Responsive to communication(s) filed on <u>17 January 2006</u> . This action is FINAL . 2b) This action is non-final.						
'=	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
diology in descripting produce drider Exparts Quayle, 1000 C.B. 11, 400 C.S. 210.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-11</u> is/are pending in the application	∑ Claim(s) <u>1-11</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-11</u> is/are rejected.	6)⊠ Claim(s) <u>1-11</u> is/are rejected.						
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/o	8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9)⊠ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>17 January 2006</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
 Certified copies of the priority document 	1. Certified copies of the priority documents have been received.						
Certified copies of the priority document	2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 1/17/06. 5) Information Disclosure Statement(s) (PTO/SB/08) 6) Other:							
т арет туо(э)гутан Date <u>л г г г г г г г г г г г г г г г г г г </u>							

Application/Control Number: 10/564,781 Page 2

Art Unit: 2831

DETAILED ACTION

Specification

1. The abstract of the disclosure is objected to because the abstract provided is that of the corresponding PCT application and it does not conform to US practice.

Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1-11 are rejected under 35 U.S.C. 102(e) as being anticipated by Dumoulin et al. P.N. 6,914, 432 (Dumoulin).

Dumoulin discloses a coil array for Magnetic Resonance Imaging. Applicant's attention is directed to Fig. 2 and corresponding description. The claims at issue are anticipated by the combination of coils 62 and 66. The correspondence between the various coil elements is as follows. First and second coil elements correspond to the clockwise and counterclockwise loops of coil 62 respectively. The two loops define a transverse line in the vertical direction of the page. The third coil element is identified as coil 66 and has first, second and third coil sections. The first coil section is the center counterclockwise

Application/Control Number: 10/564,781 Page 3

Art Unit: 2831

section that bridges the transverse line. The second and third coil sections correspond to the left and right clockwise loops. The second and third coil sections are twisted with respect to the first coil section and carry currents in directions opposite thereto.

Dumoulin meets all the limitations of the claims at issue.

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Chu et al., Hagen et al., Lu, Wang and Boskamp all disclose coil arrays for MRI containing "butterfly" coils. Note the abstract of each disclosure. Note in particular Chu's Fig. 3 and Boskamp's Fig. 2b.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Louis M. Arana whose telephone number is (571) 272-2236. The examiner can normally be reached on M-Thurs. Fridays Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/564,781 Page 4

Art Unit: 2831

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Louis M. Arana/ Primary Examiner, Art Unit 2831

lma 7/5/08